Supplement of Atmos. Chem. Phys., 21, 431–455, 2021 https://doi.org/10.5194/acp-21-431-2021-supplement © Author(s) 2021. This work is distributed under the Creative Commons Attribution 4.0 License.





Supplement of

Aircraft vertical profiles during summertime regional and Saharan dust scenarios over the north-western Mediterranean basin: aerosol optical and physical properties

Jesús Yus-Díez et al.

Correspondence to: Jesús Yus-Díez (jesus.yus@idaea.csic.es) and Marco Pandolfi (marco.pandolfi@idaea.csic.es)

The copyright of individual parts of the supplement might differ from the CC BY 4.0 License.





Figure S1: Synoptic mete orology with the 500 hPa Geopotential and surface pressure at 12:00 UTC for the 7th and 16th of July of 2015 as modelled by the reanalysis model ERA-INTERIM, © www.wetter3.de.



station.




Figure S3: Vertical profiles of relative humidity (RH (%)) for a) P1, b) P2, c) P3, d) P6, and e) P7 as measured by the Kestrel unit placed in the aircraft.




Figure S4: Vertical profiles of potential temperature (θ (K)) for a) P1, b) P2, c) P3, d) P6, and e) P7 as measured by the Kestrel unit placed in the aircraft.




Figure S5: Daily off-line filter base chemistry analysis during the instrumented flights period of July 2015 for MSA (upper panel) and MSY (lower panel).

Table S1: Comparison between aircraft borne measurements for P1 versus the in-situ measurements of MSA station as a reference at the same time that the flight was at a height of 1500 m a.s.l. approximately.

		$PM_{10}(\mu g \ m^{-3} \)$	$PM_{2.5}(\mu g \ m^{-3} \)$	$PM_1(\mu g \ m^{-3})$	$PM_{1/10}$	$PM_{1/2.5}$	$\sigma_{sp\;525\;nm}\;(Mm^{-1})$	$\sigma_{ap\;590\;nm}(Mm^{-1})$	SAE	AAE	G	SSA
	P1 – FLIGHT	20.3	18.38	13.38	0.66	0.73	37.85	2.59	0.93	1.76	0.59	0.87
P	1 – MSA IN-SITU	38.4	20.8	14.2	0.37	0.68	41.44	3.06	0.90	2.12	0.62	0.86
	DIFF (%)	47.1	11.6	5.8	-78.2	-6.6	8.7	15.36	-4.5	16.8	4.55	-0.22