Title:

**Antimicrobial activity of *Dunaliella salina* sub and supercritical CO₂
extracts**

5 Jose A. Mendiola¹, Susana Santoyo^{1*}, Alejandro Cifuentes², Guillermo Reglero¹, Elena
Ibáñez², F. Javier. Señoráns¹

¹Sección Departamental Ciencias de la Alimentación, Universidad Autónoma de
Madrid, Ciudad Universitaria de Cantoblanco, 28049 Madrid, Spain.

10 ²Instituto de Fermentaciones Industriales, CSIC, Juan de la Cierva 3, 28006 Madrid,
Spain.

15 Keywords: antimicrobial; *Dunaliella salina*; microalgae; supercritical fluid extraction;
carbon dioxide; GC-MS

*Corresponding author: Susana Santoyo susana.santoyo@uam.es

Abstract.

On the search of new antimicrobial agents useful for the food industry, the activity of carbon dioxide extracts of *Dunaliella salina* has been tested against several microorganisms (*Escherichia coli*, *Staphylococcus aureus*, *Candida albicans* and 25 *Aspergillus niger*). To be able to test extracts with very diverse chemical composition, a wide range of extraction conditions have been used considering both, the liquid and the supercritical region; extraction pressures ranged from 182 to 437 atm and extraction temperatures from 9.8 to 45.2 °C. The extracts were analyzed by GC-MS in order to identify the compounds responsible of the antimicrobial activity detected: 14 different 30 volatile compounds as well as several fatty acids were identified. The highest antimicrobial activity was obtained using 310 atm and 9,8 °C; in these conditions, the presence of an indolic derivative was detected in the extract which has never been reported in *Dunaliella salina*, together with polyunsaturated fatty acids and compounds related to carotene metabolism, such as, β -ionone, neophytadiene, with known 35 antimicrobial activity.