BLUE JAY

Volume 63 Number 2

June 2005

Blue Jay, founded in 1942 by Isabel M. Priestly, is a journal of natural history and conservation for Saskatchewan and adjacent regions. It is published quarterly by **Nature Saskatchewan**, 206-1860 Lorne Street, Regina, Saskatchewan S4P 2L7.

CN ISSN 0006-5099

Editors: Anna and Ted Leighton, 328 Saskatchewan Crescent West, Saskatoon, SK S7M 0A4, Canada. E-mail : leighton@sasktel.net

Associate Editors : Mark Brigham, Rainer Ebel, Marlene Evans, Ronald Hooper, Stuart Houston, Joanne Marchand, Josef Schmutz, Robert Warnock.

Proofreader: Nancy Allan

EDITORIAL INFORMATION: *Blue Jay* welcomes all submissions, hand-written or typed, polished or in need of editorial assistance. All items for publication should be addressed to the editors. Deadlines for text for each issue are two months prior to issue, i.e. 1 January, 1 April, 1 July and 1 October. Deadlines for photographs are one month later. Please include the author's telephone number or E-mail address for editorial contact. Hand-written or typed manuscripts should be submitted in duplicate. Manuscripts can also be submitted in electronic form, either on a 3.5" diskette or by E-mail in WordPerfect, Microsoft Word, Rich Text Format (rtf) or ASCII text. Send images separately. For further information, see "Guidelines for Authors" in this issue of *Blue Jay*, Vol. 62 (3). R. W. Nero and J. R. Duncan abstract *Blue Jay* for *Recent Ornithological Literature*. *Blue Jay* is abstracted by BIOSIS.

Common names are used for birds, mammals and butterflies. Bird names follow the Checklist of North American Birds by the American Ornithologists' Union (7th edition, 1998); mammal names, Mammal Species of the World by Wilson and Reeder; butterfly names, The Butterflies of Canada by Layberry *et al.* For other groups, both scientific and common names are included.

Photographs may be submitted as prints, slides or digital images. For the best quality reproduction on paper, high resolution (600 DPI) images are required, preferably in TIF format. JPG files and images with a lower resolution are also acceptable and provide sufficient quality in many cases. Digital images can be sent by e-mail directly to the editors, or if the files are very large, they should be put on a CD and mailed to the editors' postal address.

Although Nature Saskatchewan will make every effort to return your slides and prints to you, we recommend that you make a copy for your records in case your items get lost in the mail. We encourage submission of photographic material with articles and we welcome colour photos for *Blue Jay* covers.

Any material printed in *Blue Jay* may be reprinted for non-commercial purposes, without permission, but credit lines are both appreciated and good etiquette. Use of photographs and poetry requires permission from the photographer/author.

REPRINTS: a maximum of five reprints is available to authors free of charge for each article. Authors wishing to receive reprints should send their request, along with a stamped (\$.98) self-addressed, 5 3/4 x 9 1/2 in. kraft envelope to the Nature Saskatchewan office as soon as they receive notice that their article is accepted for publication.

SUBSCRIPTIONS: Subscription to *Blue Jay* is one of the benefits of membership in Nature Saskatchewan. A membership application form is included on the last page of each issue. Send all renewals, new memberships, donations and changes of address to Nature Saskatchewan (address at top).

Bulk subscription orders (minimum of five to one address) are available to society members and educational institutions at the rate of \$15 (Can.) for the first subscription and \$13 for each additional one. Outside Canada, fees are \$18 (Can.). We do not collect GST on memberships or subscriptions.

COVERS: Front - Aquatic macroinvertebrates from Crooked Lake Fen Nature Sanctuary. Photograph by Dale Parker. See article on page 98 and picture key on page 108.

Back - Flowering Rush (*Butomis umbellatus*) in full flower north of Minaki, Ontario. Photograph by Glen McMaster

Printed by Administration Centre Printing Services, Regina, Saskatchewan on 10% recycled paper.

THIS ORGANIZATION RECEIVES FUNDING FROM

Blue Jay

Vol. 63 No.2

June 2005

65-118

Nature

FIELD SKETCHES: AMERICAN ROBIN *Paul Geraghty* 92

Habitat

CONSERVING HABITAT THROUGH VOLUNTARY STEWARDSHIP: DOES IT WORK?

Margaret A. Skeel and Robert G. Warnock 66

Birds

NORTHERN SAW-WHET OWL NEST BOX MONITORING.

Chuck Priestley, Bryn Spence and Lisa Priestley 71

NOVEL FORAGING BEHAVIOURS OF BLACK-BILLED MAGPIES.

Usne J. Butt, Julio Blas and Michael S. Pollock 77

THREE BONAPARTE'S GULL NESTS AT SPRUCE LAKE, SK.

Mary I. Houston and C. Stuart Houston 79

Plants

SMOOTH GOOSEFOOT REDISCOVERED IN MANITOBA.

Diana Bizecki Robson, Jason Greenall, Cary Hamel and Cathy Foster 81

Mammals

HABITAT PREFERENCES OF ARCTIC SHREWS IN CENTRAL AND SOUTHERN ALBERTA

Jim R. Salt 85

Insects

A LIST OF THE ODONATA OF ATHABASCA SAND DUNES PROVINCIAL WILDERNESS .

PARK, SK. *Gordon E. Hutchings* 87

Aquatic Invertebrates

A NEW TADPOLE SHRIMP, *Triops longicaudatus*, IN SASKATCHEWAN.

Henry Mann and M. V. S. Raju 94

A PRELIMINARY SURVEY OF AQUATIC MACROINVERTEBRATES COLLECTED FROM CROOKED LAKE FEN NATURE SANCTUARY IN SOUTHEASTERN SASKATCHEWAN.

Dale Parker 98

Notes and Letters

CRASH LANDING OF AMERICAN WHITE PELICANS. *Nathan Nash* 109

BLACK-BACKED WOODPECKER NESTS NEAR LA RONGE, SK. *Oney Pollock*..... 110

SPRING ENCOUNTERS WITH LONG-EARED OWLS. *Robert Berger* 112

SHARP-SHINNED HAWK HITS WINDOW. *Ian Sandilands* 114

MORE TIPS ON PREVENTING WINDOW COLLISIONS. *April Sampson* 115

Poetry

NORTHERN FLICKER. *Victor C. Friesen*..... 70

SURPRISE EFFECT. *Bob Nero* 80

ACTIVIST OPTIONS. *Sandy Ayer* 91

Nature Library

WHITE AS A GHOST: WINTER TICKS AND MOOSE. *Bill Samuel* 116

Mystery Photo 117

NOVEL FORAGING BEHAVIOURS OF BLACK-BILLED MAGPIES

USNE J. BUTT, E-mail: <usne.butt@usask.ca>, JULIO BLAS, E-mail: <julio@ebd.csic.es>, MICHAEL S. POLLOCK, E-mail: <Mike.Pollock@sasktel.net>, Department of Biology, University of Saskatchewan, Saskatoon, SK S7N 5E2

Corvids, including crows, jays, and magpies, exhibit a variety of foraging behaviours including fecal sac ingestion,⁸ using objects to displace gulls from nests,⁹ and drowning prey.¹ Black-billed magpies have been observed removing ectoparasites from deer³ and wild boar,⁷ preying on small mammals,^{2,10,4} and feeding in fruit trees and at suet feeders.¹⁰ Here we report some previously undocumented foraging behaviours by magpies that were observed at the campus of the University of Saskatchewan, in Saskatoon, between 1999 and 2003.

Insects on Tree Bands

On campus, as well as in the older neighbourhoods in Saskatoon, sticky bands placed on American Elms (*Ulmus americana*) are used to assist in the prevention of canker worm infestations. These bands consist of fiberglass insulation wrapped around the trunk of the tree, bound tightly with tape or plastic and covered with a layer of Tanglefoot™, a 25% natural gum resin-based substance ideal for capturing the canker worm moths. Tanglefoot™ ensnares indiscriminately and tree bands become covered with an array of insects and arachnids. Several times during the winter of 1999-2000 in the University of Saskatchewan "Bowl," (an open landscaped area surrounded by buildings), Usne J. Butt observed magpies, perched above or below tree bands on elm trees, taking insects directly from the bands with their beaks. Obtaining food in this manner is not without potentially negative consequences; small songbirds have been admitted to the University of Saskatchewan Small Animal Clinic after

adhering to the Tanglefoot™ (C. Wheler, pers. comm.) and it is possible that inadvertent consumption of resin has toxicological effects.

Insects on Cars

In November 2000, Usne J. Butt observed two magpies eating insects off the front bumpers and undercarriage of vehicles parked on campus.

Predation on Waxwings

In February 2003, Julio Blas observed a magpie predation attempt on a Bohemian Waxwing. While the observer was taking pictures of a flock of waxwings feeding on berries in the "Bowl," a magpie suddenly flew into the shrub and forced one of the birds to the ground. The magpie then stood on top of the waxwing and aggressively pecked its body. The magpie retreated at the observer's approach and did not kill the waxwing. On several occasions during that fall and winter, magpies were seen carrying remains of waxwings and caching them at the base of tree trunks. Although they were presumed to have collected waxwings killed by colliding with windows, the latter observation suggests that active predation of healthy birds also occurs.

Piscivory

There have been other observations of magpies scavenging carrion and actively preying on small mammals and birds.¹⁰ To our knowledge, however, there are no published observations on magpies eating live fish. In October, 2002, Michael Pollock was running experiments in 18,000 litre outdoor pools behind the W.P. Thompson

Building. The pools, which had styrofoam blocks (60 cm x 60 cm x 3 cm) floating on the surface, contained Fathead minnows (*Pimephales promelas*) and Northern Pike (*Esox lucius*). Over 14 days, one pike and 350 Fathead Minnows disappeared from the pools. Despite the fact that the fish were apparently being consumed, the growth rates of the predatory pike and numbers of missing minnows failed to correlate, suggesting that the disappearance of the fish could not be solely attributable to predation by pike. Fortunately, Julio Blas had previously observed a magpie standing on the styrofoam blocks and catching fish over several days. The magpie captured minnows as they approached the surface and then cached them in the leaf litter and in trees around the pool.

Over the last 35 years, the Black-billed Magpie has expanded its range across western Canada^{5,10} and is now a common resident in Saskatoon. In fact, over 50 active nests were identified on the University of Saskatchewan campus during the summer of 2000 (G. Bortolotti unpub. data). Part of the magpie's success may be attributable to its ability to fledge chicks successfully in urban habitats.⁶ Furthermore, learning to exploit novel food sources such as those described here may increase the likelihood of survival during Saskatchewan winters.

Acknowledgements

Special thanks to G. R. Bortolotti and D. O. Joly for remarks on an earlier draft of this manuscript.

1. BLACKBURN, C.F. 1968. Yellow-billed magpie drowns its prey. *The Condor* 80:349.
2. BOXALL, P.C. 1982. Further observation of predation by Black-billed Magpies on small mammals. *Journal of Field Ornithology* 53:172-173.
3. GENOV, P.V., GIGANTESCO, P., and MASSEI, G. 1998. Interactions between Black-Billed Magpie and Fallow Deer. *The Condor* 100:177-179.
4. GOULDEN, L.L. 1975. Magpie kills a ground squirrel. *The Auk* 92:606.
5. HOUSTON, C.S. 1977. Changing patterns of Corvidae on the prairies. *Blue Jay* 35:149-156.
6. KNIGHT, R.L. and FITZNER, R.E. 1985. Human disturbance and nest site placement in Black-billed Magpies. *Journal of Field Ornithology* 56:153-157.
7. MASSEI, G. and GENOV, P. 1995. Observations of Black-Billed Magpie (*Pica pica*) and Carrion Crow (*Corvus corone cornix*) Grooming Wild Boar (*Sus scrofa*). *Journal of Zoology* 236:338-341.
8. MCGOWAN, K.J. 1995. A test of whether economy or nutrition determines fecal sac ingestion in nesting corvids. *The Condor* 97:50-56.
9. MONTEVECCHI, W.A. 1978. Corvids using objects to displace gulls from nests. *The Condor* 80:349.
10. TROST, C.H. 1999. Black-billed Magpie (*Pica pica*). In: *The Birds of North America*, No. 389 (A. Poole and F. Gill, eds.) The Birds of North America, Inc. Philadelphia, PA.

"The sandflies were most troublesome all day, and towards evening the mosquitoes came out in force. The latter I divide into three classes: the common brown, the large soft drab, and the fierce little black—Quirk, Gammon, and Snap! I named them thus after the well-known firm of lawyers in *Ten Thousand a Year*. The Quirks were pertinaciously bloodsucking, in a humdrum, respectable manner; the Gammons alighted like thistle-down, and drank your blood with tender slyness; the Snaps rushed in with sudden fury, and nipped more than they sucked, though careful not to go empty away."

Southesk, The Earl of (James Carnegie). 1875. *Saskatchewan and The Rocky Mountains*. Edmonston and Douglas, Edinburgh. p. 67-68.

Publication Mail Agreement # 40063014
Return Undeliverable Canadian Addresses To
Administration Centre Printing Services
111-2001 Cornwall Street
Regina, SK S4P 3X9
Email: adminprint@sasktel.net